


# THE HIGH-END SOFTWARE







# **EPCwin Software Options**

#### **Multi-Head Design Management**

- Design manager, text and image directories
- Save design
- Read and write all multi-head disk codes supported by EPCwin
  - ZSK, ZSK DOS, ZSK TC
  - Tajima (DST)
  - Barudan FDR3/FMC
  - Melco
  - Fortron
- Open design
- Scroll / zoom / move window / ruler
- Grid, Help lines, Remarks
- Stitch editor :
  - Run through design with different sized steps (variable)
  - Move stitches, delete, insert (insert only stitches)
  - Insert, edit, delete special function
- Edit design head
- Import images in the bmp, jpg, pdf, png, gif, pcx, ppm, ras, tga formats
- Import vector data in the dxf, cmx (limited), ai, emf and wmf formats

# **Print and Statistics (Option 7)**

- Needle sequence in embroidery order a design part between each needle change, in its colour and chronological order, will be printed out as pictograms
- Print of colour catalogue up to 16 different colour settings of one design can be printed on an A4 size page
- Print of directory catalogue up to 16 different designs can be printed on an A4 size page
- Specific filter functions for:
  - Histogram of special functions (chronological order of special functions)
  - Statistical summary for e.g. consumption of thread

ZSK Stickmaschinen GmbH EPCwin Version 6.0 ZSK Stickmaschinen GmbH EPCwin Version 6.0

#### **Basic-Design (Option 1)**

- All standard drawing functions
  - Line
  - Parallels
  - Circles
  - Ellipse
  - Rectangles
  - Polygon
  - Spiral
  - Stitch direction markers with automatic clipping (program 40)
- Edit drawing
- Block functions for drawing
- TrueType monogram
- Repeat of drawing lines (program 42) for designs with head selection (multihead) or schiffli designs

#### **Multi-Head Editor (Option 2)**

- Stitch and reference data editor with the following restrictions:
  - No insertion of automatic programs
  - If blocks containing reference data are inserted, these are automatically converted to stitches
  - Monogram (Pr 33): Base line and parameters can be edited; fonts cannot be changed
  - Professional Punch stitch types in the parameter set cannot be edited
- Global edit with the following restrictions:
  - No exchange of parameter sets from Professional Punch
  - No exchange of stencils in PR 10
- Global size can be fully exploited for al stitch types with modification of stitch density
- Full block functionality including rearrange block sequence
- Character editor with block function
- Geometry restricted to rectangle and circle

#### Multi-Head Basic-Punch (Option 3; only as an upgrade for Option 2)

- Three different basic design types are supported:
  - Standard designs for multi-head embroidery machine
  - Designs with head selection
  - Designs for special machines and combination machines with different embroidery heads
- All the necessary special functions for the multi-head embroidery machines can be quickly selected and monitored.
- An extensive range of automatic programs is available.

0	PR 1 Satin Stitch		PR 10 Complex Stepstitch Fill
	PR 2 Irregular divided Satin Stitch	兴	PR 20 Step-Lines
	PR 3 Percentual divided Satin Stitch	S.	PR 31 Chain up objects
B	PR 4 Systematical divided Satin Stitch	AB	PR 33 Monograming

- Support for creating repeat designs
  - Special repeat grid with indication of head number for each repeat. Variable colors for main and auxiliary lines of the grid.
  - Flexible repeat view: the adjacent repeats or all repeats can be displayed in original colors or a freely definable repeat color.
  - Simple, yet very flexible programming of head selections.



True-Type Monogram (Option 3.1; only as an upgrade for Option 3)

All the Windows TrueType fonts are at your disposal. Depending on your

© (ZSK Stickmaschinen GmbH 2016) 3 Version 6.0 (06/2016) © (ZSK Stickmaschinen GmbH 2016) 4 Version 6.0 (06/2016)

embroidery requirements, you can optimize these with the TrueType Font Editor and save them as new fonts. Lettering can be applied on curves and on any lines. A wide range of tools are available for adjusting lettering to suit existing designs.

- Use "Grab" to move the entire text on the curve or to correct the position of individual letters.
- Functions are available for adjusting the text height and width. You can decide whether to adjust the width or the spacing of the individual letters.
- You can select the position of the text on the line and the position of the letters.
- Numerous parameters are available for influencing the stitch calculation. The underlays are, of course, calculated automatically. You can determine the number and sequence of the area and running underlays.
- The program pays due regard to the shortest transition between letters or to a transition of your choice.
- Once determined, parameter sets can be saved and reloaded at any time.

#### Professional Punch (Option 4; only as an upgrade for Option 3)

	( • <b>F</b> , )	F-8	<b>F</b>
	PR 5 Variable Satin Stitch		PR 14 Curved Stepstitch Fill in Complex Areas
except	PR 6 Definable Stitch- Sequences	Y	PR 15 Branched Satin Stitch
銀	PR 10 Stepstitch Fill with Stencils	0.4	PR 30 Cross-Boll / Rosettes
	PR 11 Curved Stepstitch Fill	器	PR 32 Objects on Circle
	PR 12 Cross Stitch	<del></del>	PR 35 Automatic Sequins
	PR 13 Objects in Areas		

# **EPCwin TrueType Fonts 1**

AFRODI TRUE TYPE	AVION TRUE TYPE Font
AMSASE True Type Jons	BAHAMAS TRUE TYPE Font
amised rune rybe zon	BIBLIO TRUE TYPE Font
<b>→雨がは→れじ</b>	BOOK ANTIQUA True Type
AQUA True Type Font	BRIDGE TRUE TYPE Font
ARBOL TRUE TYPE Font	ERNSH SCRIPT True Type Fort
Arial ( 4-7mm )	CENTURY GOTHIC True Type
ARIAL (7-10) TRUE TYPE Font	CHICLE TRUE TYPE Font
ARIAL BLACK TT	CHIN TRUE TYPE Font
Ariai Black Greek	COMBATE TRUE TYPE FONT
ARIAL BLACK STEPP	COMIC SANS True Type Font
ARIAL GREEK TT	COSMOS TRUE TYPE Font
ARIAL HEBR TT	Croissant TT Font
ARIAL KYRILL TT	CRUSADER TRUE TYPE FONT
Arial Narrow	CRYPI IRUE IYPE
ARIAL STEPP TT	CUPITO TRUE TYPE Font
ATHLETIC TT FONT	CYCLON True Type
AVIATOR TRUE TYPE Forth	

© (ZSK Stickmaschinen GmbH 2016) 5 Version 6.0 (06/2016) © (ZSK Stickmaschinen GmbH 2016) 6 Version 6.0 (06/2016)

EPCwin TrueType Fonts 2

	.,		- 71													
LUCIDA CONSOLE True Type	LUCIDA HAND True Type Font	MAGESTY TRUE TYPE FONT	滅魚下滅尿 零下医护护 下熟堪聚 下下护展		MICRO TRUE TYPE FONT	MICROSOFT SS True Type Font	MONOTYPE Corstva Irue Type	New Century IT Font	N®RMAN True Type Fent	norchern true type	Orgenia II koğt	ORNAMENT TT	PARIS TRUE TYPE Font	PC TRUE TYPE FONT	PIETRA TRUE TYPE FONT	PISTOLA TRUE TYPE FONT
DO TRUE TRUE GOOT	BODIE TRUE TYPE FONT	SUBSECT SIEFF II FONT MAGESTY TRUE TYPE FONT		FENETRE True Type Font	FUTURA TRUE TYPE Font MICRO TRUE TYPE FONT	GEORGIA TRUE TYPE Font MICROSOFT SS True Type Font	GOUL TRUE TYPE Font	HERMAN TRUE TYPE	HOMEWARD BOUND True Type	HOT STEPP TRUE TYPE	HUMNST 777 True Type Font	iclou Stepp font	Jour Steps Trains Type	JOY TRUE TYPE FONT	KIMBALA TRUE TYPE Font	LOCKLY FRUE 62PE PORT

EPCwin TrueType Fonts 3

TAHOMA TRUE TYPE Font  Leacher Lane Lyne Lout	TERREMOTO TRUE TYPE FONT	COOR CRUE CYPE Font	TIGER TRUE TYPE FONT	TIMES NR STEPPFÜLL Times Bold (4-7mm)TT Font	TIMES (7-10mm) TRUE TYPE	TRIBU TRUE TYPE Font	Warsty tt font	VIDEO TRUE TYPE Font	VIVA TRUE TYPE Font	WATCH TRUE TYPE FONT	MANY TRUE TYPE	Wonder True Type	
POINTS TRUE TYPE FONT	POSTMA TRUE TYPE Font	RACING TRUE TYPE FONT	RAPIDO TRUE TYPE	REDONDO TRUE TYPE Font RENFREW TRUE TYPE Font	පියඹයින් ඇලුබුමු අතුබිමු අයගුණ	Schreibschrift & Frue Type Font	SCULPTURE TRUE TYPE FONT	SHADOW TRUE TYPE FONT	SIGLO TRUE TYPE FONT		SPLASH TRUE TYPE Font	STARBURST FONT	STRANGER TRUE TYPE FONT

© (ZSK Stickmaschinen GmbH 2016) 7 Version 6.0 (06/2016) © (ZSK Stickmaschinen GmbH 2016) 8 Version 6.0 (06/2016)

# Schiffli Design Management


- Optimum management of designs in image and text directories
- Realistic depiction of repeats as embroidered (True View) with print function
- Programmable default settings for individual design types
- Transfer of schiffli embroidery designs from EPC (UNIX) as reference data
- Input and output of design data in the following codes:
  - NC ZSK neutral code
  - Saurer SLC (.sas)
  - Saurer SHC
  - Laesser (.mst)

© (ZSK Stickmaschinen GmbH 2016)

Hiraoka

#### Schiffli Design (Option 1.1; only as an upgrade for Option 1)

 New automatic design options (bohrstaeffel, zugstaeffel, double zugstaeffel, zughoehl, bohrhoehl, stoffhoehl wabenhoehl, cross boll etc.)



 All automatic objects can be edited at any time by way of parameters and modified contours

#### Schiffli Editor (Option 5)

- Special editing functions for monitoring selection of special functions as well as examining and marking errors according to error type
- Calculated modification of stitch density referring to an object or stitch type or the complete design
- Correcting and adjusting contours and stitch direction markers
- Editing and exchanging program parameter sets
- Cutting out, inserting and managing parts of designs
- Automatic modification of special functions when a part of a design is inserted
- Rotating, mirroring, enlarging, reducing and distorting of design parts with optimum adjustment of stitch density

# Schiffli Basic-Punch (Option 6; only as an upgrade for Option 5)

- Five different basic design types are supported:
- Single-color designs
- Multi-needle designs
- Designs with color change stops
- Repeat and color change (R&C) designs
- Individual needle selection
- All the special functions required for schiffli embroidery machines can be quickly selected and monitored by way of a freely programmable menu.
- The extensive automatic programs in EPCwin for multi-head embroidery (Option 3) are available here as well.
- Definition of special function start statuses for the machine in the design head.
- Special repeat grid with needle number display for each repeat. Variable colors for main and auxiliary lines of the grid.
- Flexible repeat view: the adjacent repeats or all repeats can be displayed in original colors or a freely definable repeat color.
- Simple, yet highly flexible programming of needle designs for individual needle selection.
- Each needle can be assigned a color either according to a general rule or individually.

#### Languages

EPCwin is supplied with the following dialog languages:

- German
- English
- Italian
- Spanish
- Turkish
- French
- Portuguese
- Chinese (GB 2312 Simplified)
- Chinese (Big5 Traditional)
- Korean

The online help for EPCwin is available in English and German.

# Please read the following note!

Windows user rights for the installation

The EPCwin Software as well as the WIBU security software must be installed by an operator with administrations rights.

Windows user rights for the operation of the EPCwin
The user account of the computer must have full Write – and Read
authorisations for the EPCwin and EPCwinData folders.

# **System requirements**

ZSK Stickmaschinen GmbH

To allow the program to run smoothly, the computer must satisfy the minimum requirements stated below.

	3.6.	0 .: 5: .:						
	Minimum configuration Optimum configuration							
Computer	Standard Windows PC							
Processor	Intel Core i5 3 GHz	Intel Core i7 3 GHz AMD FX 4300 3.8 GHz						
Memory (RAM)	8 GB							
Hard disk	250 GB 128 GB SSD + 1 TB hard disk for data							
Disk drive	1.4	1.44 MB						
	Drives connected via USB are incompatible (only DOS							
	formats	supported)						
Graphics	simple Graphics card / 1 GB (	Gforce- AMD Radeon						
	fanless for silent operation							
Monitor	Resolution 24" 1920 * 1200							
Interfaces	USB 1.0 / USB 2.0 / USB 3.0							
	to connect WIBU-Dongle							
Operating system	Windows 7 *)							
	Windows 8, 8.1 *)							
	Windows 10*)							
	current	service pack						
Scanner	TWAIN	V compatible						
Printer	Graphics-compatible color printer							
Input device	3-button mouse	Wacom Digitizer Intuos4A4 with 5-button mouse and pen						
Optional	Interactive pen display, e.g. Wacom Digitizer Cintiq 1							
•	Network							
	Internet access (automatic update, online support)							
	CD burner for data backu							
	CD builter for data buckup							



**Embroidery Software Partners** 

# **ZSK Stickmaschinen GmbH**

Magdeburger Str. 38-40

D-47800 Krefeld

Tel: +49 (0) 2151 - 44 40 Fax: +49 (0) 2151 - 44 41 70

atelier@zsk.de www.zsk.com