Unlock your potential



Coloreel – Unlock your potential

Coloreel is a Swedish textile innovation brand with a ground-breaking technology for embroidery that enables high-quality coloring of textile thread on demand, unlocking a world of potential.



Maximum creativity

Minimum Impact

Improved efficiency

https://www.youtube.com/watch?v=WYwc8kz5UsQ

Coloreel - Business Proposition













A world of potential















Maximum Creativity

offered by Coloreel technology



Any traditional design



Creative freedom and print quality



Gradient effects







Creative use of gradients and stripes

Any color any time



Minimum impact

offered by Coloreel technology

Zero wastewater

Thread with 100% recycled polyester

Produce what you use without waste

Increased revenue potential

offered by Coloreel technology

Makes the impossible - possible

Offer your client something new

Enhance your offering

Always right color on stock





Our technology

Inside of the Coloreel Unit A complete instant thread dyeing microfactory



The World of Coloreel

examples of embroidery application areas









Facts and figures



Complete Coloreel offering for successful customers

Products and Solutions



Support & Service*





Coloreel dyed thread quality

Industry standard quality

High color precision

Minimal environmental impact

100% recycled 40 weight polyester thread from Madeira Washable at 60°/95°/dry cleaning Resistant to UV light, artificial light and perspiration No harmful substances – Oekotex class I – baby safe Compatible with GOTS certification

High color precision and repeatability within <2 dE

GRS 4.0	Recycled post consumer polyester	100%
ISO 105-C06 (M)	Domestic/Commercial laundry 60°C	≥4 ^{*1}
ISO 105-C06 (M)	Domestic/Commercial laundry 95°C	≥4 ^{*2}
ISO 105-X12	Rubbing/wet	≥4
ISO 105-X12	Rubbing/dry	≥4
ISO 105-D01	Dry cleaning	≥4
ISO 105-B01	Artificial light, Exposure method 2	≥5 (scale 1-8)
ISO 105-N01	Bleaching	≥4
ISO 105-E01	Water Fastness	≥4
ISO 105-E01	Perspiration	≥4
Oekotex 100	No harmful substances	Class I

Embroidery production (ITCU)

considerations & limitations

Single head or multi-head

Fully connectable

Fits any embroidery machine

Single head with configurable stand Multi-head 2-8 with modular stand solution Thread speed matching normal production speeds Ambient conditions < 29C/84F and RH>30% Connectable with LAN/WAN Easy to use operator interface



Embroidery production (ITCU)

considerations & limitations

Single head or multi-head

Fully connectable

Fits any embroidery machine

Single head with configurable stand Multi-head 2-8 with modular stand solution Thread speed matching normal production speeds Ambient conditions < 29C/84F and RH>30% Connectable with LAN/WAN Easy to use operator interface



Operation Humidity (RH)

Picture ref.	Millimeters	Inches
A	1265	49.8
В	1034	40.7
С	230	9.1
D	716	28.2
E	844	33.2
F	518	20.4
G	305	12
Н	318	12.5

Weight	Kg	Lbs
Coloreel Unit	<64	<141

30 - 80 %

Installation			
Power supply		AC 100-240V ~ 5.5A 50/60Hz, ra	ited 600W
LAN/WAN Connection	Wired n	etwork with a minimum of 2Mb/s i	nternet connection
Stitch counter	Optical stit	tch sensor included, connected to	embroidery machine
Configuration	5	Single head/Multi-head stand for u	ip to 8 units
Operation			
Maximum thread coloring	g speed	200 mm/s	7.9 inch/s
Operation temperat	ure	18-28 °C	64-82 °F

Coloreel Studio

Design & digitizing

Free softwaree to colorize stitch design

Works with your favorite stitch design software

Color and effect libraries

Need stitch file for one thread only in .dst format RGB,HEX, CMYK or HIS color format Color libraries for spot colors Extensive tutorial video library

COLOREEL Studio



Effects

	Ran	domize	
Max 5			
Ain 2			
Input			
Color	swatch		
			1
		-	
	i		
	P		#FF00FF
RGB	<i>R</i> HSL	СМУК	#FFOOFF LAB
RGB R	-	СМУК	
	-	СМУК	LAB
R	-	СМУК	LAB 255 牵

Integration & Personalization

For a complete digital process



On-line

Easy to use web interface for personalized design with amazing creative freedom

Embroidery Production

Open API interfaces for factory Automation

Standardized color file format and color libraries

Final Product

Pick your own favorite color or effect

Warranty, service & support

Global service & support team

Regular maintenance

Remote access for service & support

Digitizing service & support through partner network

How does it work?







Let me support you, unlocking your potential



Tomas Horvath – Sales Director Coloreel tomas.horvath@coloreel.com +46 76 768 87 11